

---

# Honey

---

**Pio e Tito Toso**


2019

---

The Honey collection plays on the repetition of a modular element which multiplies to create linear or circular configurations. The warm light is diffused both directly and indirectly and, curtained by wavy opaline diffusers, creates fascinating nuances. • **Modules in polycarbonate, metal wire casing. Finish: glossy white.**


La version murale de Honey joue sur la répétition, créant deux configurations linéaires de trois ou neuf modules. La lumière chaude est diffusée directement et indirectement et, tamisée par des diffuseurs opalins ondulés, donne vie à des nuances fascinantes. • **Modules en Polycarbonate, pavillon en métal. Finitions blanc-brillant.**

Honey en pared juega con la repetición, creando dos configuraciones lineales de tres o nueve módulos. La luz cálida se difunde tanto directa como indirectamente y, protegida por difusores opalinos ondulados, da vida a tonos fascinantes. • **Módulos en policarbonato, cubierta de cable en metal. Acabado: blanco brillante.**





### 1. Honey L139




#### Dimming kits

**KIT0080**  
PH-CUT / 1 art / in

**KIT0026**  
PH-CUT / 1-2 art

### 2. Honey Ø58




#### Dimming kits

**KIT0080**  
PH-CUT / 1 art / in

**KIT0026**  
PH-CUT / 1-2 art

### 3. Honey Ø86




#### Dimming kits

**KIT0080**  
PH-CUT / 1 art / in

**KIT0026**  
PH-CUT / 1-2 art

### 4. Honey Ø110



#### Dimming kits

**KIT0079**  
DALI / 1 art / in

| MOD | CODE | FINISH | SOURCE      | INPUT    | DIMMING   | CCT (K) | LUMEN | CRI | IP | OPTICS   |
|-----|------|--------|-------------|----------|-----------|---------|-------|-----|----|----------|
| 1   | 8680 | WH     | TopLED 35W  | 220-240V | Phase-cut | 2700    | 3523  | 90  | 20 | Diffused |
| 2   | 8682 | WH     | TopLED 35W  | 220-240V | Phase-cut | 2700    | 3523  | 90  | 20 | Diffused |
| 3   | 8684 | WH     | TopLED 50W  | 220-240V | Phase-cut | 2700    | 5379  | 90  | 20 | Diffused |
| 4   | 8686 | WH     | TopLED 105W | 220-240V | DALI Push | 2700    | 10844 | 90  | 20 | Diffused |