
Tablet

Mirco Crosatto

2014

Tablet is a family of minimalistic lamps with adjustable light. A thin, rectangular frame houses the mobile light sources which, thanks to the almost complete rotation on its own axis, allows the orientation of direct, indirect or combined beams of light.

• **Aluminium body, opaline polycarbonate diffuser. Finishes: white, black.**

Tablet est une famille de lampes minimalistes à lumière directionnelle. Dans un fin cadre rectangulaire sont encadrées les sources mobiles qui, grâce à la rotation presque complète sur son axe, permettent l'orientation de faisceaux lumineux directs, indirects ou combinés. • **Corps en aluminium, diffuseur en polycarbonate opale. Finitions : blanc, noir.**

Tablet es una familia de lámparas minimalistas con luz direccional. Las fuentes de luz en movimiento están enmarcadas en un fino marco rectangular que, gracias a la rotación casi completa sobre su eje, permite la orientación de haces de luz directa, indirecta o combinada. • **Cuerpo en aluminio, difusor en policarbonato opalino. Acabados: blanco, negro.**














1. Tablet wall single L16




.....

Cover for instl. hole:

KIT80 for 7600
KIT0041 for 7608

2. Tablet wall single L24





.....

Cover for instl. hole:

KIT81 for 7601
KIT0042 for 7609

3. Tablet wall single L42




.....

Cover for instl. hole:

KIT82 for 7602
KIT0043 for 7610

4. Tablet wall single L66




.....

Cover for instl. hole:

KIT83 for 7604
KIT0044 for 7611

5. Tablet wall single L96




.....

Cover for instl. hole:

KIT84 for 7605
KIT0045 for 7612

MOD	CODE	FINISH	SOURCE	INPUT	DIMMING	CCT (K)	LUMEN	CRI	IP	OPTICS
1	7600	WH	TopLED 5W	220-240V	No	3000	534	80	40	Diffused
	7608	BK	TopLED 5W	220-240V	No	3000	534	80	40	Diffused
2	7601	WH	TopLED 15W	220-240V	No	3000	1826	80	40	Diffused
	7609	BK	TopLED 15W	220-240V	No	3000	1826	80	40	Diffused
3	7602	WH	TopLED 31W	220-240V	No	3000	3651	80	40	Diffused
	7610	BK	TopLED 31W	220-240V	No	3000	3651	80	40	Diffused
4	7604	WH	TopLED 21W	220-240V	No	3000	2360	80	40	Diffused
	7611	BK	TopLED 21W	220-240V	No	3000	2360	80	40	Diffused
5	7605	WH	TopLED 32W	220-240V	No	3000	3158	80	40	Diffused
	7612	BK	TopLED 32W	220-240V	No	3000	3158	80	40	Diffused



6. Tablet wall double L36



.....
Cover for instl. hole:

KIT0046 for 7606
KIT0047 for 7613

7. Tablet wall double L66



.....
Cover for instl. hole:

KIT83 for 7607
KIT0044 for 7614

8. Tablet ceiling



MOD	CODE	FINISH	SOURCE	INPUT	DIMMING	CCT (K)	LUMEN	CRI	IP	OPTICS
6	7606	WH	TopLED 22W	220-240V	No	3000	2360	80	40	Diffused
	7613	BK	TopLED 22W	220-240V	No	3000	2360	80	40	Diffused
7	7607	WH	TopLED 43W	220-240V	No	3000	4720	80	40	Diffused
	7614	BK	TopLED 43W	220-240V	No	3000	4720	80	40	Diffused
8	7595	WH	TopLED 26W	220-240V	No	3000	3317	80	40	Diffused
	7596	BK	TopLED 26W	220-240V	No	3000	3317	80	40	Diffused