
Xilema

Edin Dedovic

2014


The elegant lightness of Xilema houses a WallWasher toppled light source which, be it vertical or horizontal, diffuses comfortable, indirect ambient illumination. Alongside the linear versions is a more intricate version reminiscent of xilema, the plant tissue that transports water from the roots to the stems and leaves.

• **Aluminium body, PMMA diffuser. Finishes: white, polished aluminium.**


L'élégante légèreté de Xilema accueille une source topLED WallWasher qui, verticalement ou horizontalement, diffuse une confortable lumière ambiante indirecte. Les versions linéaires sont flanquées d'une variante complexe qui rappelle le xylème, le tissu qui, dans les plantes, conduit la sève des racines aux feuilles. • **Corps en aluminium, diffuseur en PMMA. Finitions : blanc, aluminium brillant.**

La elegante ligereza de Xilema acoge una fuente WallWasher topLED que, vertical u horizontalmente, difunde una confortable luz ambiental indirecta. Las versiones lineales están flanqueadas por una variante compleja que recuerda el xilema, el tejido vegetal que conduce la savia desde las raíces hasta las hojas. • **Cuerpo en aluminio, difusor en PMMA. Acabados: blanco, aluminio brillante.**







1. Xilema wall L79





2. Xilema wall L180



3. Xilema wall/ceiling L149



4. Xilema wall/ceiling L160



MOD	CODE	FINISH	SOURCE	INPUT	DIMMING	CCT (K)	LUMEN	CRI	IP	OPTICS
1	7765	WH	TopLED 17W	220-240V	No	3000	2100	90	20	Double asym.
	7766	AP	TopLED 17W	220-240V	No	3000	2100	90	20	Double asym.
2	7777	WH	TopLED 25W	220-240V	Touch	3000	2914	90	20	Double asym.
	7778	AP	TopLED 25W	220-240V	Touch	3000	2914	90	20	Double asym.
3	7767	WH	TopLED 34W	220-240V	No	3000	4200	90	20	Double asym.
	7768	AP	TopLED 34W	220-240V	No	3000	4200	90	20	Double asym.
4	7769	WH	TopLED 47W	220-240V	No	3000	6041	90	20	Double asym.
	7770	AP	TopLED 47W	220-240V	No	3000	6041	90	20	Double asym.